Data Sheet

We make sure



AMILO Notebook Xa 3530 The art of entertainment

Issue July 2008

Version 2

Pages 6

Experience impressive entertainment, exciting new technologies, inspiring innovations and features unified in the AMILO Notebook X series.

Key Features

Processor technology

■ AMD next-generation mobile processor technology

Operating System

■ Windows Vista® Home Premium

Innovation

- ATI Hybrid Graphics technology features multi-GPU performance capabilities, automatic power state adjustment for power-savings, and multi-display functionality with the ATI Mobility Radeon[™] HD 3650 graphic card with 512 MB dedicated VRAM
- ATI PowerXpress[™] technology that dynamically switches between discrete and onboard graphics. Experience great graphics performance while plugged in or switch over to energy efficient integrated graphics when on-the-go for extended battery life

Reliability

- Spill-proof keyboard to protect your notebook against accidentally spilt liquids
 - Enough time to shut down the notebook
 - Have the liquid removed from the notebook
 - Protects your investment and your data
- Engineered in Germany means the test center in Germany tests conformity to international standards and customer-specific requirements
- A+ grade LCD panels for better picture quality

Ease of use

- The silent mode function that causes a noticeable reduction in fan noise
- Multimedia LightTouchTM bar and integrated Vista remote control let you easily play, stop or pause your DVDs or music CDs

Multimedia and Entertainment

- 17-inch LCD WXGA+ display with BrilliantView technology for vivid colors, amazing sharpness and impressive contrast
- The integrated AMILOcam (1.3 mega pixels) with low-light technology for great video quality even in low-light conditions and the built-in digital array microphone are perfect for Internet telephony (VoIP) and video chats
- Enjoy your favorite Hollywood blockbuster on an external display via HDMI (with HDCP support)

Options

- Integrated Blu-ray DiscTM drive and integrated hybrid TV tuner for the ultimate entertainment experience
- Dual hard disk drive with Raid 0/1 function Raid 0 function: implements data striping to provide the best possible performance Raid 1 function: defines disk mirroring for simultaneous writing of data on two disks If one drive becomes defect, all data can be accessed on the second drive







On another asset and Basessens	
Operating system ¹ and Recovery	Operation Windows Vieto & House Descriptor (00 hit consists)
Operating system	Genuine Windows Vista® Home Premium (32-bit version)
Fujitsu Siemens Computers Recovery Program	Backup and restore the original status of the hard disk and create system restore disks
Architecture	
System architecture	AMD mobile processor technology
	AMD 780G + AMD SB700
Chipset	AIVID 700G + AIVID SB700
Processors ¹	
	7M 90 (2.1 CHz. 2 MB L 2 cocho)
AMD Turion™ X2 Ultra processor	ZM-80 (2.1 GHz, 2 MB L2 cache)
	ZM-82 (2.2 GHz, 2 MB L2 cache)
	ZM-84 (2.3 GHz, 2 MB L2 cache)
	ZM-86 (2.4 GHz, 2 MB L2 cache)
AMD Turion™ X2 Dual-Core processor	RM-70 (2.0 GHz, 1 MB L2 cache)
	RM-72 (2.1 GHz, 1 MB L2 cache)
AMD Athlon™ X2 Dual-Core processor	QL-60 (1.9 GHz, 1 MB L2 cache)
	QL-62 (2.0 GHz, 1 MB L2 cache)
Memory	2 SO-DIMM memory slots (no memory on board)
Memory speed	800 MHz
Memory type	DDR 2 RAM
Memory modules	1024 or 2048 MB
Max. memory size ^{1, 2}	4096 MB
,	
Drives	
Hard disk drive	
HDD type	SATA
HDD size	2.5-inch
HDD speed	5400 rpm
HDD cache	8 MB
HDD cacity ¹	
ПОО сараску	250 or 320 GB with single HDD;
	500 (2x 250) or 640 (2x 320) GB with dual HDD
Optical disc drive ¹ (built-in)	
	SATA
ODD type	
ODD technology	SuperMulti-format DVD burner with dual double layer (DL) support
ODD read speed	CD-ROM 24x, DVD-ROM 8x
ODD write speed	CD-R 24x, CD-RW 16x, DVD+R 8x, DVD-R 8x, DVD+RW 8x,
	DVD-RW 6x, DVD+R DL (8.5 GB) 4x, DVD-R DL (8.5 GB) 4x,
	DVD-RAM 5x
Plu roy DigoTM (cnticne)1	
Blu-ray Disc™ (optional)¹	Duilt in Division DigaTM driver in al. CompatAtable formant DVD browns 2011 1
ODD technology	Built-in Blu-ray Disc™ drive incl. SuperMulti-format DVD burner with dual
000	double layer (DL) support
ODD read speed	BD 1.6x, CD-ROM 24x, DVD-ROM 8x
ODD write speed	CD-R 8x, CD-RW 8x, DVD+R 8x, DVD+RW 4x, DVD-R 8x, DVD-RW 4x,
	DVD+R DL (8.5 GB) 2.4x, DVD-R DL (8.5 GB) 2x, DVD RAM 5x
Display	D 11: 47: 10D
Display type	BrilliantView LCD
Display size	17-inch
Display resolution (intern)	1440 x 900 pixels
Display resolution (extern)	1920 x 1200
Resolution type	WXGA+
Reaction time	16 ms
Brightness (typ.)	200 NIT
Contrast (typ.)	400 :1
Compliance with standards	ISO 13406-2 class II

Graphics

Graphic features

Dedicated graphics (full name) Dedicated video memory Onboard graphics chip Shared video memory 3D Benchmark 2006

512 MB GDDR3 ATI Radeon™ HD 3200

Up to 1860 MB depending on installed main memory

ATI Mobility Radeon™ HD 3650 with Hybrid Graphics

3700

ATI PowerExpress™ technology

DirectX® 10 support

Interfaces

Video 1x HDMI (1.3a) (incl. HDCP and S/PDIF out), 1x VGA

Audio 1x line in, 1x microphone in, 1x line out /headphone out, 1x line out /

S/PDIF out

Network 1x LAN (RJ-45)

1x eSATA combined with USB 2.0, 3x USB 2.0, 1x IEEE1394, 1x CIR Data

1x ExpressCard slot (54 / 34 mm),

1x 15-in-1 card reader

SD, miniSD, MicroSD, SDHC

MS, MS-Duo

MMC, RS-MMC, MMC-Micro

MSPRO, MS-PRO Duo, MS-Pro HG, MS-Pro HG Duo M2

xD picture card

TV tuner (option)¹ 1x DVB-T / analog antenna in, 1x AV in

Power supply 1x DC-in

Communication

Integrated Bluetooth®

LAN (Local Area Network) Built-in WLAN (Wireless Local Area Network)

WLAN type

WLAN max. data rate WLAN encryption

For use in

2.1

10 / 100 / 1000 Mbps

Yes

draft-n 802.11a/b/g/n up to 300 Mbps WEP, WPA and WPA2

BE, CH, DK, DE, EE, FI, FR, EL, IE, IS, IT, LI, LV, LT, LU, MT, NL, NO,

PL, AT, PT, SE, SK, ES, CZ, HU, UK, CY

Multimedia

Audio Support of HD audio for S/PDIF output with up to 7.1 channels Audio chip

Realtek ALC888

Speakers 2x built-in speakers (2 W each) Microphone Built-in digital array microphone Subwoofer 1x built-in subwoofer (3 W)

Input device Sound volume control via function key or via LightTouch™ bar

AMILOcam

Features

Image sensor 1.3 mega pixels webcam Frames per second

30⁵

Powered by Logitech®

Auto focus

Automatic brightness adjustment with status LED (blue: on, red:

streaming / application on)

Low-light technology for great video-quality even in dark

surrounding

Hybrid TV tuner (optional¹)

Standard Built-in DVB-T / analog hybrid TV tuner

Input devices / Control buttons Power button	Located left of the keyboard
Keyboard	Spill-proof keyboard with 85 keys, 21 key number block
Touchpad	Hidden touchpad, with left and right mouse button, touchpad disable function via function key combination (Fn+F6)
Multimedia keys	 Multimedia LightTouch™ bar located on top of the keyboard to launch the following applications: Silent mode (reduce noise level / fan speed, by reducing the CPU performance, office applications, Internet and DVD playback are not affected) Hybrid graphics to switch between onboard graphics for extended battery runtime and external graphics for better performance DVD playback Skip rewind Play / pause Skip forward Volume control
Hot keys	The following hot keys or key combinations are available Fn+F1 WLAN / BT on / off Fn+F2 TV-tuner on / off Fn+F3 Mute on / off Fn+F4 Volume down Fn+F5 Volume up Fn+F6 Touchpad on / off Fn+F7 AMILOcam on / off Fn+F8 Brightness down Fn+F9 Brightness up Fn+F10 Display switch Fn+F11 Silent mode Fn+F12 Suspend Number block 4 individually configurable quick-start application buttons (A1, A2, A3, A4)
Status indicators	The notebook has 3 status LEDs: ■ Power status (& suspend) Blue (always on): on; Blue blinking: stand by, None: off ■ Battery charge Blue (always on): full, Blue blinking: charging; Red blinking: < 10 % capacity ■ WLAN / Bluetooth Blue: on; None: off
Security	V
Supervisor and user password Kensington lock	Yes Yes
Lid switch (hidden)	Yes
ACPI functions	ACPI 3.0 compliant for Vista requirement S1 LCD off S3 save to RAM S4 save to disk S5 soft off Silent Mode
Power System	
Battery ⁶ Battery type ¹	Lithium-Ion battery 8 cells, 14.8 V / 2400 mAh (cell) / 4800 mAh (pack)
Battery runtime (idle mode) ⁷ Battery runtime (DVD playback) ⁸ Battery charging time (idle mode) ⁹ Battery charging time (maximum active mode) ¹⁰ Battery charging time (normal use) ¹¹ Battery charging time (off mode)	Up to 3:20 hours (with onboard graphics); 2:20 h (with external graphics) Up to 2:20 hours (with onboard graphics); 2:00 h (with external graphics) Up to 1:15 hours Up to 1:25 hours Up to 1:25 hours Up to 1:40 hours

AC Adapter	Dynamic charge supported, ACPI 2.0 supported
Wide Range AC adapter	110 - 240 V AC, 50 - 60 Hz
Output	120 W with 20 V DC, 6 A
Energy consumption	
S0 (idle mode)	18.6 W (with onboard graphics); 23.3 W (with external graphics)
S0 (max. active mode) ¹²	52 W (with onboard graphics; 67.6 W (with external graphics)
S3 (stand by / energy saving mode)	0.5 W (with onboard and external graphics)
S4 (hibernate)	0.03 W (with onboard and external graphics)
S5 (off mode)	0.03 W (with onboard and external graphics)
Noise emission	
Idle mode ¹³	24.5 dbA (Silent Mode off); 19.7 dbA (Silent Mode on)
Maximum active mode ¹⁴	28.5 dbA (Silent Mode off); 26.3 dbA (Silent Mode on)
Operating conditions	
Operational	5 ℃ to 35 ℃ (ambient temperature)
·	10 % to 90 % relative humidity, non-condensing
AC input	100 - 240 V, 50 - 60 Hz
Dimensions and weight	
W x D x H	398 x 295 x 37.0 (front) / 44.0 (back) mm
Weight	3.6 kg ¹⁵
-	
Certifications	GOST (WLAN)
	CE Marking
	R&TTE (WLAN, Bluetooth®)
Warranty	1 year collect and return
Operational Software	
Home office	Microsoft® Works
	Microsoft® Office Home and Student Trial
	Adobe Reader
	Windows Mail (within Vista operating system)
	Windows Calendar (within Vista operating system)
Multimedia	Nero Essentials S (CD / DVD write software)
	Vista DVD Playback Pack (DVD playback software)
	Windows Media Player (within Vista operating system
	Windows Media Center (within Windows Vista® Home Premium
	operating system)
	Logitech® QuickCam® application software
	Optional ¹
	CyberLink Power DVD (playback software for Blu-ray Disc™, only with
	Blu-ray Disc™ drive)
	Microsoft® Internet Explorer
Internet	
Internet	Country specific Internet provider
Internet Security	

Accessories AC adapter 120 W Included First Battery 8 cells Integrated remote control Manuals Manual (on hard disk), quick start guide, safety guide, warranty guide, recovery guide **Drivers** Updates downloadable at http://www.fujitsu-siemens.com

The configuration described in this document is generic only and non-binding. For the exact configuration of your AMILO, please contact your licensed dealer.

¹ Depending on exact configuration. Please check at your local retailer

² DISCLAIMER: Up to 1 GB may not be available with 32-bit operating systems due to system resource requirements if system is preinstalled with 4096 MB RAM.

3 Shared video memory size may vary depending on configuration. Used video memory size depends on Microsoft® Windows Vista®

memory management.

^{- 1024} MB system memory enables up to 638 MB static and shared memory

^{- 2048} MB system memory enables up to 1150 MB static and shared memory.

^{- 3072} MB system memory enables up to 1390 MB static and shared memory.

^{- 4096} MB system memory enables up to 1860 MB static and shared memory.

⁴ An adapter is needed for the following card formats: RS-MMC, MMC-Micro, miniSD, MicroSD, SDHC, MS-Duo, MS-PRO Duo, MS-Pro HG, MS-Pro HG Duo, M2

AMILOcam frame rate can vary significantly depending on the used software application.

⁶ DISCLAIMER: Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Recharge time varies depending on usage. The recharge capacity may decrease after some moths so that the battery lifetime as well as operating time can not be assured for the whole lifetime of the notebook.

Tested with Battery Mark 4.0.1 ("power saver mode")

⁸ DVD playback tested with Vista DVD playback

⁹ Tested with Battery Mark 4.0.1

¹⁰ Tested with 3DMark 2006

¹¹ DVD playback tested with Vista DVD playback

¹² Tested with 3DMark 2006

¹³ According to ISO 7779 and ISO 9296

¹⁴ Tested with QAFE 8.01 / 2. sieve.exe(CPU stress test) / Diskload.exe according to ISO 7779 and ISO 9296

¹⁵ Weight may vary depending on actual configuration.